



AATOMIZE®

NEVER COMPROMISE

शारीरिक ऊर्जा में जो लाये निखार,
स्वच्छ आटा ही एक आधार।



पथर हटाए

आटोमाइज़ बसाए



AMAZING FEATURES FOR AATACHAKKI




MULTIPLE USAGE



| GRINDING CAPACITY (PER HOURS) | | |
|-------------------------------|--------|-----------|
| GRAINS | 1 HP | 1 HP A102 |
| WHEAT | 6-8 KG | 8-10 KG |
| BESAN | 6-8 KG | 8-10 KG |
| RICE | 6-8 KG | 8-10 KG |
| BAJARI | 6-8 KG | 8-10 KG |
| JUVAR | 6-8 KG | 8-10 KG |
| MAIZE | 5-7 KG | 7-9 KG |
| RAVA | 5-7 KG | 7-9 KG |
| UDAD | 6-8 KG | 8-10 KG |



अरे वाह...!!!
मेरी आटाचक्की फुली ओटोमेटिक








1 HP FLOURMILL

| | | | | |
|---|---|---|---|--|
| GREEN LEAF | SQUARE | LITE WOOD | DOLFIN | KEY FEATURE  AATOMIZE - A101 POWER SAVER MOTOR ISI SENSOR TECHNOLOGY S.S. HOPPER S.S. CONTAINER INDOOR LED LIGHT CHILD SAFETY LOCK HIGH LAW VOLTAGE SYSTEM M.S. SHARP CUTTER 4 ALU. BLADE BITTER MEMBRANE DOOR & TOP SLIDER WITH COTTON BAG |
|  |  |  |  | |

| | | | | | |
|--|--|--|--|--|------------------|
| KEY FEATURE  AATOMIZE - J101 POWER SAVER MOTOR ISI SENSOR TECHNOLOGY S.S. HOPPER S.S. CONTAINER INDOOR LED LIGHT CHILD SAFETY LOCK HIGH LAW VOLTAGE SYSTEM M.S. SHARP CUTTER 6 ALU. BLADE BITTER MEMBRANE DOOR & TOP AIR FILTER | L-13" W-19" H-36" | LIVE MUSIC | DOLFIN | STONE FLOWER | DARK WOOD |
| |  |  |  |  | |

| | | | | | |
|--|---|---|---|---|----------------------|
| KEY FEATURE  AATOMIZE - S101 POWER SAVER MOTOR ISI SENSOR TECHNOLOGY S.S. HOPPER S.S. CONTAINER INDOOR LED LIGHT CHILD SAFETY LOCK HIGH LAW VOLTAGE SYSTEM S.S. SHARP CUTTER 6 S.S. BLADE BITTER MEMBRANE DOOR & TOP AIR FILTER | L-13" W-19" H-36" | PLY STRIP | PLY BOX | LITE WOOD | 3D COLOR BALL |
| |  |  |  |  | |

| | | | | | |
|--|---|---|---|---|-------------------------|
| KEY FEATURE  AATOMIZE - T101 POWER SAVER MOTOR ISI SENSOR TECHNOLOGY S.S. HOPPER S.S. CONTAINER INDOOR LED LIGHT CHILD SAFETY LOCK HIGH LAW VOLTAGE SYSTEM S.S. SHARP CUTTER 6 ALU. BLADE BITTER TALKY AIR FILTER | L-13" W-19" H-36" | LITE WOOD TALKY | DARK WOOD TALKY | 3D CIRCLE TALKY | GREEN LEAF TALKY |
| |  |  |  |  | |

| | | | | | |
|---|---|---|---|---|---------------|
| KEY FEATURE  AATOMIZE - V101 POWER SAVER MOTOR ISI SENSOR TECHNOLOGY S.S. HOPPER S.S. CONTAINER INDOOR LED LIGHT CHILD SAFETY LOCK HIGH LAW VOLTAGE SYSTEM S.S. SHARP CUTTER 6 S.S. BLADE BITTER VACUUM CLEANER AIR FILTER | L-13" W-19" H-36" | 3D CIRCLE | 3D LIVE | LIVE MUSIC | SQUARE |
| |  |  |  |  | |

1 HP FLOURMILL (DOUBLE CHAMBER)

| WOODEN STRIP | WOOD TEXTURE | PLY STRIP | COLOUR STRIP | KEY FEATURE  AATOMIZE - A102 (DOUBLE CHAMBER) POWER SAVER MOTOR ISI SENSOR TECHNOLOGY S.S. HOPPER S.S. CONTAINER INDOOR LED LIGHT CHILD SAFETY LOCK HIGH LAW VOLTAGE SYSTEM M.S. SHARP CUTTER (DOUBLE) 10 S.S. BLADE BITTER (DOUBLE) MEMBRANE DOOR & TOP SLIDER WITH COTTON BAG |
|---|---|---|---|--|
|  |  |  |  | |

2 HP FLOURMILL

| STONE FLOWER | DARK WOOD | LITE WOOD | DOLFIN | KEY FEATURE  AATOMIZE - A201 POWER SAVER MOTOR ISI SENSOR TECHNOLOGY S.S. HOPPER S.S. CONTAINER INDOOR LED LIGHT CHILD SAFETY LOCK HIGH LAW VOLTAGE SYSTEM M.S. SHARP CUTTER 4 ALU BLADE BITTER MEMBRANE DOOR & TOP SLIDER WITH COTTON BAG |
|--|--|--|--|---|
|  |  |  |  | |

OIL SQUEEZER



| OIL SQUEEZER | DELUXE | SUPER DELUXE |
|-------------------|-------------------------------|-------------------------------|
| VOLTAGE | 220 volt / 50 hz | 220 volt / 50 hz |
| POWER | 400 Watts | 1400 Watts |
| CAPACITY | 2 - 5kg/H | 8 - 10kg/H |
| KEEP WORKING | 8 - 10 Hrs | 10 - 12 Hrs |
| POWER CONSUMPTION | 1 Unit / 2.5 Hrs Machine Work | 1.5 Unit / 1 Hrs Machine Work |
| MOTOR CAPACITY | 0.25HP | 1HP |
| WEIGHT | 12 kg | 40 kg |
| SIZE | 20 x 8 x 10 inch | 24 x 9 x 24 inch |
| WARRANTY | 1 Year* | 1 Year* |

MICRO GRINDING 2 IN 1 PULVERIZER



PATENT NO. : 349060
DESIGN NO. : 327657-001

| MICRO GRINDING | 1 HP | 2 HP | 3 HP |
|----------------------|-----------------|-----------------|-----------------|
| MODEL | AZ101 | AZ201 | AZ301 |
| GRINDING CAPACITY | 10 TO 12 KG | 15 TO 17 KG | 20 TO 25 KG |
| AUTOMATION GRADE | SEMI AUTOMATIC | SEMI AUTOMATIC | SEMI AUTOMATIC |
| MATERIAL | MS BODY | MS BODY | MS BODY |
| POWER SOURCE | ELECTRIC | ELECTRIC | ELECTRIC |
| VOLTAGE (V) | 230 | 230 | 230 |
| POWER | 6 | 10 | 15 |
| CORROSION RESISTANCE | YES | YES | YES |
| POWER CONSUMPTION | 0.75KWH | 1.5KWH | 2.25KWH |
| MOTOR SPEED | 2880 | 2880 | 2880 |
| FREQUENCY (HZ) | 50 | 50 | 50 |
| MOTOR TYPE | SINGLE PHASE | SINGLE PHASE | SINGLE PHASE |
| COATING | POWDER COATING | POWDER COATING | POWDER COATING |
| CHAMBER | SINGLE CHAMBER | SINGLE CHAMBER | SINGLE CHAMBER |
| MACHINE DIMENSION MM | 325 X 641 X 818 | 347 X 640 X 870 | 400 X 700 X 960 |
| CHAMBER DIMENSION MM | 205 X 105 | 255 X 105 | 255 X 135 |

CRETA POWER 2 IN 1 PULVERIZER



PATENT NO. : 349060
DESIGN NO. : 327657-001

| CRETA POWER | 1 HP | 2 HP | 3 HP |
|----------------------------|-----------------|-----------------|--------------------------|
| MODEL | AZ102 | AZ202 | AZ302 |
| GRINDING CAPACITY | 12 TO 15 KG | 20 TO 30 KG | 23 TO 37 KG |
| AUTOMATION GRADE | SEMI AUTOMATIC | SEMI AUTOMATIC | SEMI AUTOMATIC |
| MATERIAL | MS BODY | MS BODY | MS BODY |
| POWER SOURCE | ELECTRIC | ELECTRIC | ELECTRIC |
| VOLTAGE (V) | 230 | 230 | 230 / 440 |
| POWER (W) | 6 | 10 | 15 |
| CORROSION RESISTANCE | YES | YES | YES |
| POWER CONSUMPTION | 1.5KWH | 1.5KWH | 2.25KWH |
| MOTOR SPEED | 2880 | 2880 | 2880 |
| FREQUENCY (HZ) | 50 | 50 | 50 |
| MOTOR TYPE | SINGLE PHASE | SINGLE PHASE | SINGLE PHASE/THREE PHASE |
| COATING | POWDER COATING | POWDER COATING | POWDER COATING |
| CHAMBER | DOUBLE CHAMBER | DOUBLE CHAMBER | DOUBLE CHAMBER |
| MACHINE DIMENSION MM | 322 X 670 X 855 | 430 X 768 X 960 | 322 X 670 X 855 |
| FRONT CHAMBER DIMENSION MM | 205 X 105 | 255 X 105 | 255 X 135 |
| BACK CHAMBER DIMENSION MM | 125 X 75 | 170 X 90 | 170 X 90 |

CRETA POWER 2 IN 1 PULVERIZER



PATENT NO. : 349060
DESIGN NO. : 327657-001

| CRETA POWER | 5 HP |
|----------------------------|------------------|
| MODEL | AZ502 |
| GRINDING CAPACITY | 38 TO 58 KG |
| AUTOMATION GRADE | SEMI AUTOMATIC |
| MATERIAL | MS BODY |
| POWER SOURCE | ELECTRIC |
| VOLTAGE (V) | 440 |
| POWER (W) | 15 |
| CORROSION RESISTANCE | YES |
| POWER CONSUMPTION | 4.50KWH |
| MOTOR SPEED | 2880 |
| FREQUENCY (HZ) | 50 |
| MOTOR TYPE | THREE PHASE |
| COATING | POWDER COATING |
| CHAMBER | DOUBLE CHAMBER |
| MACHINE DIMENSION MM | 432 X 919 X 1071 |
| FRONT CHAMBER DIMENSION MM | 315 X 165 |
| BACK CHAMBER DIMENSION MM | 225 X 100 |

CRETA POWER 2 IN 1 PULVERIZER WITH CYCLONE



PATENT NO. : 349060
DESIGN NO. : 327657-001

| CRETA POWER | 5 HP |
|----------------------------|------------------|
| MODEL | AZC502 |
| GRINDING CAPACITY | 40 TO 60 KG |
| AUTOMATION GRADE | SEMI AUTOMATIC |
| MATERIAL | MS BODY |
| POWER SOURCE | ELECTRIC |
| VOLTAGE (V) | 440 |
| POWER (W) | 15 |
| CORROSION RESISTANCE | YES |
| POWER CONSUMPTION | 4.50KWH |
| MOTOR SPEED | 2880 |
| FREQUENCY (HZ) | 50 |
| MOTOR TYPE | THREE PHASE |
| COATING | POWDER COATING |
| CHAMBER | DOUBLE CHAMBER |
| MACHINE DIMENSION MM | 478 X 919 X 1158 |
| FRONT CHAMBER DIMENSION MM | 315 X 165 |
| BACK CHAMBER DIMENSION MM | 225 X 100 |
| CYCLONE MOTOR | 0.5 hp & 0.5 hp |
| CYCLONE DIMENSION MM | 540 X 540 X 1980 |

HEAVY DUTY 2 IN 1 PULVERIZER WITH CYCLONE



PATENT NO. : 349060
DESIGN NO. : 327657-001



| HEAVY DUTY | 7.5 HP | 10 HP | 15 HP |
|----------------------------|------------------------------|------------------------------|------------------------------|
| MODEL | AZC751 | AZC1001 | AZC1501 |
| GRINDING CAPACITY | 60 TO 100 KG | 70 TO 120 KG | 120 TO 160 KG |
| AUTOMATION GRADE | SEMI AUTOMATIC | SEMI AUTOMATIC | SEMI AUTOMATIC |
| MATERIAL | MS BODY | MS BODY | MS BODY |
| POWER SOURCE | ELECTRIC | ELECTRIC | ELECTRIC |
| VOLTAGE (V) | 440 | 440 | 440 |
| POWER (W) | 11 | 15 | 22 |
| CORROSION RESISTANCE | YES | YES | YES |
| POWER CONSUMPTION | 5.70KWH | 7.5KWH | 8KWH |
| MOTOR SPEED | 2880 | 2880 | 2880 |
| FREQUENCY (HZ) | 50 | 50 | 50 |
| MOTOR TYPE | THREE PHASE | THREE PHASE | THREE PHASE |
| COATING | POWDER COATING | POWDER COATING | POWDER COATING |
| CHAMBER | DOUBLE CHAMBER WITH PEDITION | DOUBLE CHAMBER WITH PEDITION | DOUBLE CHAMBER WITH PEDITION |
| MACHINE DIMENSION MM | 560 X 1505 X 1230 | 560 X 1615 X 1285 | 630 X 1735 X 1345 |
| FRONT CHAMBER DIMENSION MM | 390 X 207 | 390 X 207 | 439 X 262 |
| BACK CHAMBER DIMENSION MM | 265 X 97 | 265 X 97 | 265 X 97 |
| CYCLONE MOTOR | 0.5 hp & 1 hp | 0.5 hp & 1 hp | 2 hp & 0.5 hp |
| CYCLONE DIMENSION MM | 540 X 540 X 2100 | 540 X 540 X 2100 | 540 X 540 X 2100 |

HEAVY DUTY 2 IN 1 PULVERIZER WITH CYCLONE



PATENT NO. : 349060
DESIGN NO. : 327657-001

| HEAVY DUTY | 20 HP |
|----------------------------|------------------------------|
| MODEL | AZC2001 |
| GRINDING CAPACITY | 150 TO 200 KG |
| AUTOMATION GRADE | SEMI AUTOMATIC |
| MATERIAL | MS BODY |
| POWER SOURCE | ELECTRIC |
| VOLTAGE (V) | 440 |
| POWER (W) | 22 |
| CORROSION RESISTANCE | YES |
| POWER CONSUMPTION | 16.5KWH |
| MOTOR SPEED | 2880 |
| FREQUENCY (HZ) | 50 |
| MOTOR TYPE | THREE PHASE |
| COATING | POWDER COATING |
| CHAMBER | DOUBLE CHAMBER WITH PEDITION |
| MACHINE DIMENSION MM | 680 X 1735 X 1345 |
| FRONT CHAMBER DIMENSION MM | 439 X 262 |
| BACK CHAMBER DIMENSION MM | 265 X 97 |
| CYCLONE MOTOR | 2 hp & 0.5 hp |
| CYCLONE DIMENSION MM | 540 X 540 X 2100 |

आटा मतलब
आटोमाइझ


WHEAT GRADING MACHINE

4 X 3



1. Machine Weight : 70kg
2. Model No. : **WG431**
3. Motor Capacity : 1HP Single Phase
4. No Labour Require to Operate This Machine
5. Production Capacity : 350 to 400 kg / hrs Powder Filter
6. Users can clean and sort (width, thickness, length) any type of grain Like wheat, millet, sorghum & every kind of grain.

PACKING MACHINE



PM810

PM820

| Model No. | PM810 | PM820 |
|------------------------|-------------------|-------------------|
| Machine Structure | MS Powder Coating | MS Powder Coating |
| Machine Size (inch) | 33" x 15" x 18" | 41" x 22" x 38" |
| Sealing Size | 10mm | 12mm |
| Max. Adjustment Height | 18" | 22" |
| Min. Adjustment Height | 6" | 8" |
| Voltage (V/Hz) | AC 220/50 110/60 | AC 220/50 110/60 |
| Machine Net Weight | 22kg | 30kg |

HEAVY DUTY MIXER GRINDER



| GRAVY MACHINE | 1.5HP HEAVY DUTY ROYAL NAVY | 2 HP GOLDEN DRAGON | 3 HP DARK FALCON |
|------------------|-----------------------------|--------------------|--------------------------|
| MODEL | RN150 | DG200 | DF300 |
| MIXING CAPACITY | 5 LTR | 10 LTR | 14 LTR |
| AUTOMATION GRADE | SEMI AUTOMATIC | SEMI AUTOMATIC | SEMI AUTOMATIC |
| MATERIAL | SS BODY | SS BODY | SS BODY |
| POWER SOURCE | ELECTRIC | ELECTRIC | ELECTRIC |
| MOTOR SPEED | 2880 | 2880 | 2880 |
| MOTOR CAPACITY | 1.5 HP | 2 HP | 3 HP |
| MOTOR TYPE | SINGLE PHASE | SINGLE PHASE | SINGLE PHASE |
| MACHINE SIZE MM | 305 X 710 X 380 | 305 X 760 X 380 | 305 X 810 X 380 |
| MACHINE WEIGHT | 35 KG | 40 KG | 45 KG |
| JAR | 5 LTR | 10 LTR | 14 LTR WITH PIPE & VALVE |
| CUTTER | SS | SS | SS |

FLOUR MIXING MACHINE



| FLOUR MIXING MACHINE | 5 KG SURYA MIXING | 10 KG AGNI MIXING | 15 KG PRUTHVI MIXING |
|----------------------|-------------------|-------------------|----------------------|
| MODEL | SM051 | AM100 | PM150 |
| MIXING CAPACITY | 5 KG | 10 KG | 15 KG |
| AUTOMATION GRADE | SEMI AUTOMATIC | SEMI AUTOMATIC | SEMI AUTOMATIC |
| MATERIAL | MS BODY | MS BODY | MS BODY |
| POWER SOURCE | ELECTRIC | ELECTRIC | ELECTRIC |
| MOTOR SPEED | 1440 | 1440 | 1440 |
| MOTOR CAPACITY | 0.5 HP | 1 HP | 2 HP |
| MOTOR TYPE | SINGLE PHASE | SINGLE PHASE | SINGLE PHASE |
| MACHINE SIZE MM | 765 X 635 X 355 | 1065 X 940 X 480 | 1090 X 940 X 535 |
| MACHINE WEIGHT | 55 KG | 105 KG | 110 KG |
| BOWL MATERIAL | SS | SS | SS |
| JALI COVER | SS | SS | SS |
| ROTAR TYPE | SS | SS | SS |
| TIME DURATION | 5 TO 10 MINUTES | 10 TO 12 MINUTES | 12 TO 15 MINUTES |

GRAVY MACHINE



| GRAVY MACHINE | 1 HP DELUXE | 2 HP SUPER DELUXE | 3 HP SUPER DELUXE |
|------------------|----------------|-------------------|-------------------|
| MODEL | DG101 | SD101 | JD101 |
| MIXING CAPACITY | 10 TO 15 KG | 35 TO 40 KG | 100 TO 150 KG |
| AUTOMATION GRADE | SEMI AUTOMATIC | SEMI AUTOMATIC | SEMI AUTOMATIC |
| MATERIAL | SS BODY | SS BODY | SS BODY |
| POWER SOURCE | ELECTRIC | ELECTRIC | ELECTRIC |
| MOTOR SPEED | 2880 | 2880 | 2880 |
| MOTOR CAPACITY | 1 HP | 2 HP | 3 HP |
| MOTOR TYPE | SINGLE PHASE | SINGLE PHASE | SINGLE PHASE |
| MACHINE SIZE MM | 125 X 75 | 150 X 75 | 230 X 75 |
| MACHINE WEIGHT | 20 KG | 38 KG | 45 KG |





शारीरिक ऊर्जा में जो लाये निखार,
स्वच्छ आटा ही एक आधार।

AATOMIZE[®]
NEVER COMPROMISE



AATOMIZE MANUFACTURING PVT. LTD. COMPANY LOCATION





PACKING MACHINE



2 IN 1 PULVERIZER



GRADING MACHINE



MASALA MACHINE



DAL MILL MACHINE

AATOMIZE MANUFACTURING PVT. LTD.

Plot No. 6/7, Captain Tractor Street,
 Padvala Main Road, Shapar (Veraval),
 Rajkot - 360024, Gujarat (India).
 info@aatomize.com | www.aatomize.com
 Customer Care : +91 87390 87390


AUTHORIZED DEALER



SCAN QR CODE
FOR DOWNLOAD BROCHURE



SCAN QR CODE
FOR PLAY STORE



FOLLOW US ON

